<del></del>		
0.60 1	1. (QNCE AMENDED) An apparatus for presenting, and monitoring telecommunication transaction records via a thin web client interface, the	
	apparatus comprising:	
3	apparatus comprising.	
4	a billing server, configured to receive telecommunication transaction information,	
5	and configured to translate said telecommunication transaction	
> 6	information into one of a plurality of telecommunication transaction	
7	records, said plurality of telecommunication transaction records being	
8	elements of a user account bill, said billing server also configured to	
9	[maintain the telecommunication transaction records, and to ]query said	
10	plurality of [the ]telecommunication transaction records in response to a	
11	request for prescribed data; and	
12	a web server, coupled to said billing server, configured to [send ]provide said	
	telecommunication transaction information to said billing server, to	
13		
14		
15	web client interface, and to provide said prescribed data to the user;	
16	wherein said prescribed data distinguishes between a first telesommunication	
17	transaction record and a second telecommunication transaction record.	
	2 (ONOR ANTENDED) The second of the late 2 selection and	
a ABIT!	3. (ONCE AMENDED) The apparatus as recited in claim 2, wherein, upon	
	execution of said specific telecommunication event, said web server sends said	
$\frac{1}{3}$	telecommunication transaction information to said billing server and said billing	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	server generates a specific telecommunication transaction record by including	
l 5	additional information to include a specific place called, a specific account	
6	number, and a specific transaction cost.	
\ 1	5. (ONCE AMENDED) The apparatus as recited in claim 4, wherein each of said	
N Dd	plurality of telecommunication transaction [information]records comprises an	
X 12 3	account number, a calling number, a transaction date, a transaction time, a called	
$\nu$ 4	number, a called place, a transaction duration, and a transaction cost.	

•		116.5503	
X Sub!	12	ONCE AMENDED) The apparatus as recited in claim 10, wherein said billing server maintains said plurality of telecommunication transaction records in a data base.	
<u> </u>		ouse.	
01.827	1 2	14. (ONCE AMENDED) An interactive telecommunications billing mechanism, comprising:	
m.	3	a billing server, for maintaining a transaction data base, and for querying said	
•	4	transaction data base to retrieve selected transaction records that match	
	5	parameters of a query, wherein each of said selected transaction records	
	6	comprises:	
/	7	a line field, documenting a first telephone number from which a call	
X	8	originates;	
	9	a number field, documenting a second telephone number to which said call	
	10	is placed;	
	11	a place field, documenting a location corresponding to said number field;	
	12	and	
	13	a cost field, documenting a cost of a corresponding call event;	
	14	wherein a user account bill is made up of transaction records	
	15	corresponding to a particular account number; and	
	16	a web server, coupled to said billing server, for providing said query in response	
	17	to a user command received from a data network, and for transmitting said	
	18	selected transaction records to a user over said data network for viewing	

via a web browser.

19

1	23. (ONCE AMENDED) An apparatus for accessing selected telecommunications
2	records over the internet from a user computer that is executing a web browser
3	application, said apparatus comprising:
4	a billing server, for maintaining telecommunications records, and for providing
5	the selected telecommunications records in response to a user request, said
6	billing server comprising:
, 7	data base logic, for storing said telecommunications records, wherein each
<b>√</b> 8	of said telecommunications records documents a specific
و ، ﴿ ﴿	telecommunications event, and wherein particular ones of said
10	telecommunications records corresponding to a particular user
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	account number are periodically processed to generate an account
12	bill;
13	maintenance logic, for providing said data base logic with a new
14	telecommunications record corresponding to a new
15	telecommunications event; and
16	query logic, for searching said telecommunications records in accordance
17	with parameters prescribed by said user request, and for retrieving
18	the selected telecommunications records; and
19	a web server, coupled to said billing server, for receiving said user request over
20	the internet, and for providing the selected telecommunications records to
21	the user computer over the internet.
$\sqrt{}^{1}$	27. (ONCE AMENDED) A method for providing access to telecommunications
$\sqrt{2}$	billing records in a billing computer over the internet, the access being obtained
X ny 3	via a remote computer that is executing a thin web client application, the method
1 3 A	comprising:
5	a) maintaining the telecommunications billing records in a data base, the
6	telecommunications billing records documenting individual

	Á		telecommunication events, each of the telecommunications billing records
ιX	8		being an item of a periodic telephone bill;
1 g			
<b>X</b> ,	9		b) querying the data base in accordance with parameters provided by a completed
NA Dec	10		search parameter entry web page; and
15	11		[d]c) transmitting a search results web page to display the telecommunications
' '	12		billing records on the remote computer.
	12		Shimg records on the remarks
\ \^t	_17	30.	(ONCE AMENDED) A method for providing a user with detailed long distance
a MA	} \$		telephonic transaction billing information via a thin web client, the method
Ano,	(3		comprising:
D			
	/4		a) providing a data server, coupled to local telephone switches, for tracking long
/	/ 5		distance telephone transactions and associated costs for a plurality of
Ŵ	6		telephone numbers;
X,	7		b) providing a web server, coupled to the data server, for presenting to the user
Λ	8		the detailed long distance telephonic transaction information; and
	Ü		and detailed long distance temperature (and an arrangement), and
	9		c) providing the user with a customizable event monitor, coupled to the web
	10		server and to the data server, the event monitor for alerting the user when
	11		telephone transactions meet a specified criteria.
	1	31.	(ONCE AMENDED) The method as recited in claim 30 wherein the long distance
	2		telephonic transaction information comprises duration, date, cost, and number
	3	··- <u>, -</u>	called for each transaction.
_/	1	36.	(ONCE AMENDED) The method as recited in claim 30 wherein the specified
CX/A	2	• • •	criteria comprises a total of long distance [charges]costs for one or more of the
V.	3		plurality of telephone numbers, within a specified time period.
<del>,</del>			printing of telephone managed, within a opening thing period.
	1	39.	(ONCE AMENDED) A long distance transaction event monitor, coupled to a
<b>X</b>	2		telephone network, for alerting a user when specified alert criteria relating to
	3		telephony transactions have been met, the event monitor comprising: